

## CPIR Series

### Indoor PIR Camera

Maxview CPIR Series PIR Camera is designed for commercial and residential surveillance, and is ideal for any indoor applications. The CPIR36 features a high resolution with 700 TVL and outstanding image sharpness.

### Product Features


- PIR Spy Camera
- 700 TVL High Resolution
- 3.6 Taper Pinhole Lens
- Low Illumination, NWDR, OSD, DNR
- Dimension: 70 x 40 x 119mm

### Technical Specification

Model	CPIR36
Image Sensor	1/3" Sony CCD Effio-E Sensor
Resolution	700 TV Line
Pixels	NTSC: 976(H) X 494(V) PAL: 976(H) X 582(V)
TV System	PAL / NTSC
Lens	3.6mm Taper Pinhole Lens
Synchronizing System	2:1 Internal
IR Distance	N/A
Min. Illumination	0.001 Lux / F2.0
S/N Ratio	More Than 50 dB (AGC OFF)
Gamma Correction	0.45
Video Output	Composite Signal (1.0 Vp-p, 75 Ohm)
Scanning System	PAL: 625 Lines, 50 Field / Sec NTSC: 525 Lines, 60 Field / Sec
Shutter	Auto: PAL 1/50 ~ 1/100,000 sec; NTSC 1/60 ~ 1/100,000 sec
Operating	-10°C ~ 50°C , RH 95% Max
Storage	-20°C ~ 60°C , RH 95% Max
White Balance	Auto
Current	300 mA
Voltage	DC12V +- 10%
Dimension	70 x 40 x 119 (mm)
Weight	350g



### DIMENSION



unit: mm